







<b>PHYSICAL INFO</b> VOLUME: 41165.02 mm <sup>3</sup> TOTAL AREA: 91568.96 mm <sup>2</sup> GENERAL THICKNESS: 1.00 mm DRAFT ANGLE: ° GENERAL RADIUS: 1.00 mm FLATNESS: mm		<b>GENERAL NOTES</b> - SHAPE DEFINED IN THE LINKED 3D MODEL - NO MODIFICATIONS WITHOUT DEVELOPMENT AGREEMENT - REF. MARKING FOR DIE CASTED AND PLASTIC PARTS: LAST 5 DIGIT OF 12NC. WITH LAST DIGIT SLIDING - MAXIMUM THICKNESS INCREASE IN MARKING AREA 0.5 MM - NO BURRS, NO SHRINK MARKS, NO JUNCTION LINES - PARTS MUST BE SAFE FOR HANDLING - "ROHS COMPLIANT, EU DIR 2002/95/EC"		<b>ADDITIONAL INFO</b>	
<b>REVISION</b> SYM  REVISED BY Pan feng		<b>REVISION INFORMATION</b>			
 .. Ra in µm		ISO 1302 ISO 12805		TOLERANCES UNLESS OTHERWISE STATED <div style="display: flex; align-items: center;">  <div style="border: 1px solid black; padding: 2px; margin: 0 5px;">A</div> <div style="border: 1px solid black; padding: 2px; margin: 0 5px;"> </div> <div style="margin: 0 5px;">/</div> <div style="border: 1px solid black; padding: 2px; margin: 0 5px;"> </div> <div style="border: 1px solid black; padding: 2px; margin: 0 5px;">A</div> </div>	
DIMENSION		ANGLE		ISO 1101/5459	
<b>GENERAL ROUGHNESS</b> 		<b>UNIT</b> mm		<b>ITEM</b>	
<b>SCALE</b> 1:2		<b>PROJ. EUROP.</b> 		<b>ASSEMBLY NO.</b>	
<b>CLASS No.</b>		<b>MATERIAL</b> SUS316 T1.0		<b>TOLERANCES ACCORDING TO NORM</b> NORMAL CLASS, IF NOT NOTICED [X.X]: CONTROL DIMENSION	
<b>TREATMENT</b> 		<b>ORDER NO.</b>		<b>QUANT</b>	
2018-07-25		BRP393 glare shield BRP393 遮光罩		A 2018/07/2	
<b>NAME</b> Pan feng		<b>SUPERS</b>		<b>SH. 1</b>	
<b>CHECK</b>		<b>DATE</b> 2018/04/17		<b>SH. -1</b>	
<b>PROPERTY OF:</b> ©		<b>Convright Philips Electronics N.V.</b>		<b>A3</b>	